



本公司产品您可自由选择。图示仅为公司部分产品，
印刷过程可能令资料的产品图片跟实物有细微区别，
颜色与款式以实样为准，公司保留更改产品设计与规划的权利，
最终解释权属本公司，详情请垂询当地经销商。

181 0025 4908
Tel
181 0025 4908



MAKE YOUR GARAGE MORE THAN
JUST A GARAGE

DEVELOP THE BEST SOLUTION FOR EACH
OF YOUR PROBLEMS

DOOR

FAMILY SYSTEM
ONE HOUSEHOLD, ONE STYLE

Telephone: 0215550623
Mailbox: info@doorcity.co.za
URL: www.doorcity.co.za
Address: Unit 4, 27 Stella Road, Montague Gardens, Cape Town

电话：0215550623
邮箱：info@doorcity.co.za
网址：www.doorcity.co.za
地址：Unit 4, 27 Stella Road, Montague Gardens, Cape Town

中国 · 佛山 FOSHAN · CHINA

文化理念 CULTURAL IDEA

品牌故事 COMPANY PROFILE

This company was established in 2013 and is located in Tianhe District, Guangzhou. The factory has expanded to Nanhai District, Foshan, covering an area of over 5000 square meters. The company is an enterprise that integrates design, development, sales, and service.

Dedicated to the research of similar product cultures, we have highly qualified professional technical researchers, strong technical strength, high technological content, and good product quality, which have won the trust of our customers. We have 4 designers, 6 craftsmen, 2 professional quality inspectors, 23 production workers, and a total of 36 production equipment. Dedicated to flat aluminum panel doors and mirrored garage doors. Aluminum alloy perspective doors, high-end rolling shutter doors, aluminum alloy folding doors, industrial doors, etc.

Company sales philosophy goal: The product sales network has covered cities across the country and is exported to multiple countries and regions such as Europe, the Middle East, and Southeast Asia.

Based in the Nanling Mountain, facing the domestic market and going global. Weijia Door Industry is constantly striving and moving forward, creating a world-renowned brand. Committed to making Weijia Door Industry a high-end enterprise in the industry.



核心价值观：
时尚于型，品质于恒，匠心独运，奢华尊享

全球服务理念：
企业发展，服务为本，优质服务，诚信为本！

经营理念：
争做一流产品，打造一流服务，同创一流企业。

品牌内涵：
以充满动感，热情奔放，自信乐观的心态，展示人们对时尚与实用、简约与现代、科技感与经典相融合

Core values:
Fashion in style, quality in constant, ingenuity in craftsmanship, luxurious and luxurious enjoyment

Global Service Concept:
Enterprise development, service-oriented, high-quality service, integrity-based!

Business Philosophy:
Strive to produce first-class products, create first-class services, and jointly create first-class enterprises.

Brand connotation:
Show people's fusion of fashion and practicality, simplicity and modernity, technology and classics with a dynamic, passionate, confident and optimistic attitude

本公司成立于 2013 年，座落于广州市天河区。现工厂扩建于广州佛山南海区占地面积 5000 多平米，公司是集设计、开发、销售、服务为一体的企业。

致力于同类产品文化的研究，并拥有高素质的专业技术研究人员，技术力量雄厚，科技含量高，产品质量好，赢得了客户的信赖。拥有设计师 4 人，工艺师 6 人，专业质检人员 2 人，生产工人 23 人，生产设备共 36 台。致力于纯平铝板门，镜面车库门。铝合金透视门，高端卷闸门，铝合金折叠门，工业门等。

公司销售理念目标：产品销售网络已经覆盖全国各地城市，远销欧洲、中东、东南亚等多个国家和地区。

立足南岭、面向国内、走向世界。玮佳门业不断进取，勇往直前，创造世界知名品牌。致力于让玮佳门业成为行业高端企业。



5000+ 8000+ 100000+

m²

厂区面积

Plant area

个

年生产量

Annual production

户

服务用户

Service users

EVERY MOMENT
OF THE FUTURE IS ENJOYMENT
未来的每一刻都是享受
DOORS
选择我 “门”



PRODUCT
CONTENTS 目录

格栅 - 实木车库门系列	001
Grille - Solid Wood Garage Door Series	
铝合金透视车库门系列	005
Aluminum alloy perspective garage door series	
纯平铝板车库门系列	011
Flat aluminum plate garage door series	
钢制发泡及铝发泡车库门系列	015
Steel foam and aluminum foam garage door series	
铝合金型材车库门系列	019
Aluminum alloy profile garage door series	
高端硬质卷帘门系列	025
High end hard roller shutter door series	

艺术 简约 时尚 奢华

星御 - 格栅实木车库门系列⁺

GRILLE SOLID WOOD GARAGEDOOR SERIES


高端智能车库门

产品参数 | PRODUCT PARAMETERS

铝材颜色: 木纹色 (可定制其他纯色)
门板厚度: 60mm
铝材壁厚: 3.0mm(单、双层可选)
钢化玻璃厚度: 5.0mm
Aluminum color: Wood grain
(other solid colors available upon request)
Door panel thickness: 60mm
Aluminum material wall thickness: 3.0mm
(single or double layer optional)
Tempered glass thickness: 5.0mm

颜色配置 | COLOR CONFIGURATION

	
砂黑 Sand Black	深灰 Deep Grey
	
20745	20751
	
20752	20753
	
20754	20766




GRILLE SOLID WOOD GARAGEDOOR SERIES

格栅实木车库门系列






寻找生活 | 追求梦想
FIND A LIFE PURSUE DREAMS







P-11



P-12



艺术 简约 时尚 奢华

星哲 - 折叠车库门系列⁺

XINGZHE - FOLDING GARAGE DOOR SERIES


高端智能车库门

产品参数 | PRODUCT PARAMETERS

铝材颜色：木纹色（可定制其他纯色）
门板厚度：60mm
铝材壁厚：3.0mm（单、双层可选）
钢化玻璃厚度：5.0mm
Aluminum color: Wood grain
(other solid colors available upon request)
Door panel thickness: 60mm
Aluminum material wall thickness: 3.0mm
(single or double layer optional)
Tempered glass thickness: 5.0mm

颜色配置 | COLOR CONFIGURATION

	
砂黑 Sand Black	深灰 Deep Grey
	
20745	20751
	
20752	20753
	
20754	20766



XINGZHE - FOLDING GARAGE DOOR SERIES

星哲 - 折叠车库门系列





星耀 - 铝合金透视车库门系列⁺

XINGYAO - ALUMINUM ALLOY PERSPECTIVE GARAGE DOOR SERIES

高端智能车库门

产品参数 | PRODUCT PARAMETERS

铝材颜色：哑光黑、白色（可定制其他纯色）
门板厚度：40mm
铝材壁厚：2.5mm
加强筋：2.5mm、5.0mm
钢化玻璃厚度：5.0mm

Aluminum material color: matte black, white
(other solid colors available upon request)
Door panel thickness: 40mm
Aluminum material wall thickness: 2.5mm
Stiffener: 2.5mm, 5.0mm
Tempered glass thickness: 5.0mm



产品玻璃 | GLASS PRODUCTS



透明玻璃



磨砂玻璃



镜面玻璃




黑色玻璃

颜色配置 | COLOR CONFIGURATION



哑光黑
Matte Black



白色
White



色彩是很让人心动的，特别是在车库中激活这些元素。
让人禁不住想在空间里揉进灵动如梦的律动，来不及将自己的灵魂放纵，那一种恍惚的感觉已然散漫开来。

Color is truly captivating, especially when it brings these elements to life in a garage.
It makes one irresistibly want to weave a dreamlike rhythm into the space, too intoxicated to restrain one's soul, as a sense of daze already begins to drift.



P-21



P-22



星睿 - 纯平铝板车库门系列⁺

XINGRUI - FLAT ALUMINUM GARAGE DOOR SERIES


高端智能车库门


产品参数 | PRODUCT PARAMETERS

铝材颜色：哑光黑（可定制其他纯色）
 门板厚度：60mm
 铝材壁厚：3.0mm（单、双层可选）
 钢化玻璃厚度：5.0mm

Aluminum color: Matte black
 (other solid colors can be customized)
 Door panel thickness: 60mm
 Aluminum wall thickness: 3.0mm
 (single or double layer optional)
 Tempered glass thickness: 5.0mm

颜色配置 | COLOR CONFIGURATION





星繁 - 钢制发泡及铝发泡车库门系列⁺

XINGFAN - STEEL FOAM AND ALUMINUM FOAM GARAGE DOOR SERIES

高端智能车库门



产品参数 | PRODUCT PARAMETERS

颜色: 纯色可定制
门板厚度: 40mm
壁厚: 0.4mm
Color: Solid color can be customized
Door panel thickness: 40mm
Wall thickness: 0.4mmWall thickness: 0.4mm

颜色配置 | COLORCONFIGURATION



优雅是一种独特气质的美, 时尚、流行是它最灿烂、亮丽的表情。风格、个性是它最独特的表情, 而悠闲、安逸则是它最温柔的一张精致面孔。

Elegance is a beauty with unique character, fashion and popular is its resplendent and bright expression.
Style and character is its most unique look, and leisure, easiness is its most tender and exquisite face.



艺术 简约 时尚 奢华

星钻 - 铝合金型材车库门系列⁺

STAR DIAMOND ALUMINUM ALLOY PROFILE GARAGE DOOR SERIES

高端智能车库门

产品参数 | PRODUCT PARAMETERS

门板厚度: 40mm
铝材壁厚: 1.2mm
Door panel thickness: 40mm
Wall thickness: 0.4mm




颜色配置 | COLOR CONFIGURATION

电泳拉丝铜 Electrophoretic brushed copper	电泳紫铜 Electrophoretic copper
咖啡 Coffee	豪华乳白 Luxury milky white
氟碳拉丝 Fluorocarbon wire drawing	黑胡桃木纹 Black walnut wood grain
砂灰 Sand ash	银白 Silver white
氟碳古铜拉丝 Fluorocarbon antique copper wire drawing	



STAR DIAMOND ALUMINUM ALLOY PROFILE GARAGE DOOR SERIES

星钻 - 铝合金型材车库门系列





雅致动人

Elegant and touching

细节上的细腻到位，保证了整体效果的完美出彩。
The fine details are in place to ensure the perfect overall effect.



车库开门机参数：

	型号	额定电压	额定电压	额定功率	最大推拉力	最大速度	输出扭矩	可选配
进口电机	Comfort 260	230V AC	50/60 HZ	0.25KW	550N	160mm/s	/	无线墙壁开关、无线密码、无线指纹、红外感应、手机开门系统
	Comfort 270	230V AC	50/60 HZ	0.25KW	750N	160mm/s	/	
	Comfort 280	230V AC	50/60 HZ	0.25KW	1000N	160mm/s	/	
国产电机	350G	220V/110V	50/60 HZ	0.15KW	1100N	110mm/s	/	红外感应、无线墙壁开关、手机开门系统
	390G	220V/110V	50/60 HZ	0.18KW	1200N	110mm/s	/	
工业电机 + 控制箱	F-850E	230V	50/60 HZ	370W	/	/	50N.m	无线安全气囊、红外感应、密码锁、钥匙开关、警示灯
	F-890E	230V	50/60 HZ	480W	/	/	85N.m	


车库开门机：



产品配件 | PRODUCT ACCESSORIES



安装参数 | INSTALLATION PARAMETERS



星钻 - 铝合金型材车库门系列⁺

STAR DIAMOND ALUMINUM ALLOY PROFILE GARAGE DOOR SERIES


高端智能车库门

产品参数 | PRODUCT PARAMETERS

门板厚度: 2.0mm
门板高度: 80mm
铝材壁厚: 1.0mm

Door panel thickness: 2.0mm
Door panel height: 80mm
Aluminum wall thickness: 1.0mm

颜色配置 | COLOR CONFIGURATION



主要部件 | MAIN COMPONENTS OF

	RL-80K 帘片 1. 帘片采用铝合金为原材料。中间填充高密度聚氨酯保温材料，起到保温、隔热、隔音的效果。 2. 由于卷帘式车库门运行结构的物理特性，铝型材设计合理化，在安全耐用的基础上做到门片更加轻便增加使用寿命，帘片正面无受力点，壁厚为：1.0mm。两只帘片连接口为整个门体的受力点，壁厚为：2.25mm，成型门片厚度为：20mm，有效高度为：80mm，整体帘片版型为直板形。 3. 内部设计拉强筋处理，增加帘片强度“R”口处实心圆轴设计厚度为：3.0mm 可永不脱片、有效防撞击。表面漆面经铬化处理喷涂可保 10 年不退色。
	RL-80T 帘片 1. 帘片采用铝合金为原材料。中间开孔尺寸为：30mm*140mm 透视效果俱佳。壁厚度为：2.0mm，连接口为整个门体的受力点设计厚为 2.25，有效高度为：80mm，整体帘片版型直板形。 2. “R”口处实心圆轴设计厚度为 3.0mm 可永不脱片、有效防撞击。 3. 透视面凹槽内可放置金钢网透视换气，防蚊虫。还可放置高透片透视不透气保暖又明亮，实用性强。 4. 与 30K 系列产品完美搭配。
	RLGD-130 轨道 副轨：采用铝合金为原材料，成型为双层空腔 90 度直角，单壁厚度为 3.0mm。内有多条拉筋提高强度。外侧有与轨道连接定位点及连接槽。副轨自身具有承重作用。副轨安装时不挑墙面，无论是平面墙体还是文化石等特殊墙体，都可以做到垂直水平安装。膨胀定位打孔位置在副轨道正中间，解决帘片运行时由于拉伸力对轨道造成破坏。普通轨道安装时膨胀是偏移的，强度差、拉伸力差、不垂直、易松动、易损坏。 主轨：采用铝合金为原材料，成型为双层“T”字型，内有多条拉筋提高强度，外观精美时尚造型并且看不到膨胀螺丝孔，整体造型完美呈现。主轨道安装时与副轨直接锁定即可，不需再打膨胀与墙体连接，实现快速安装。主轨与副轨外侧定点连接槽，连接后可保证轨道永不偏移，轨道为加宽加长设计，适用于各种卷帘门片使用，同时使帘片在轨道内进伸更长，抗风系数更大。轨道内侧为双毛条设计，有效降低帘片运行时的噪音，提升密封效果。轨道开口外侧加装皮条设计，有效阻隔空气流通提高密封度。轨道上方配导向轮卡槽，杜绝帘片与轨道的摩擦，保护帘片及轨道使门体运行更顺畅，延长使用寿命。 外形尺寸：宽度 130mm 厚度 90mm
	130/140 轨道侧板及罩壳 1. 加厚 4.0mm-6.0mm 整体激光切割侧板，承重强不松动方便安装。底部带品牌 LOGO 美观时尚。 2. 铝合金装饰门楣顶部有防水槽设计，防止积水。 3. 彩钢板分体包厢，单壁厚度：0.7mm。铝板分体包厢，单壁厚度 1.0mm，上下组合而成，方便安装及维修。大型折板机一次性成型设计加长门口无需对接，一次成型不塌腰。

控制系统 | CONTROL SYSTEM

	雷迪诺柔性快速电机（150N/200N/230N/300N） 1. 每秒 0.2-0.6 米提升速度可调。 2. 可提升 0-25 平方米门体使用。 3. 具有缓起停功能，减少对电机的冲击力。可延长电机的使用寿命。 4. 停电时可用导链将门体升起。 5. 单次可连续使用 10-20 个行程。用 5 寸圆轴。 6. 选配安全装置：日本产欧姆龙红外光电 / 安全光幕 7. 选配开启方式：手机远程遥控开启 / 无线墙壁开关 / 车载感应器 / 蓝牙 / 车牌识别 / 密码开启 / 人脸识别 / 智能家居联动 8. 选配应急装置：备用电源
---	--

安全防护及开启系统 | SAFETY PROTECTION AND SYSTEM OPENING

	进口红外光电 日本进口“欧姆龙”红外光电，安装在轨道外侧，距离地面 20 厘米处，阻断红外线，体自动上行直到顶部停止限位处。有效保证了人、车的安全。
	安全光幕 安全光幕，总高度 1.5 米。具有消隐功能隐藏在轨道内侧，安全性高，美观度好。在门体向下运行时，阻断光幕任意对射点门体停止运行并向上反弹上限位。安全保护家人、爱车、物品。